

Automatic Cutter

智能电脑裁床

TC8 FR(Universal) 6/8

意大利制造 Made in Italy



自动传送切割系统提供了 6-8-9cm 的裁剪刀头选择以满足各类生产的需求。Universal作为新一代产品，结合新的科技元素及革新材料，给生产效率带来了前所未有的提升。

Automatic conveyor cutting system offering the choice of 6-8-9cm cutting heads for all types of production. Universal is a new project capable of accelerating working cycles through both speed and productivity, applying a mix of technical characteristics and innovative materials enabling to reach cutting performances never achieved before.

JUST CUT: the simple and intuitive Software makes all cutting parameters setting fast and safe;

简洁直观的操作软件使所有裁剪设置快捷且安全；

Eco Power vacuum system guarantees considerable power saving;

真空系统大大地节省了能耗；

Patented high speed sharpening system: longlife sharpeners;

专利的高速磨刀系统：更长的磨刀寿命；

Fast Revolution: allows cutting flexibility for all material types;

所有类型材料均可裁剪灵活性；

Melectronics Blade Sense: automatic knife deflection correction;

刀头智能感应：自动刀片偏转调整；

Blade lubrication or cooling system;

刀片润滑及冷却系统；


Remote technical assistance, also via web, ensuring just in time total and constant support;

通过网络远程技术援助确保对产品及时的、持续性的技术支持；

No Stop Cutting system involving two alternative methods: Continuous Cutting software to enhance cutting while advancing, Quick Release Vacuum suitable for high ply cutting (optional).

边走边裁系统含两种方式：不间断裁剪软件在换床时提升剪裁；

快速放气适合高层数剪裁（选配）。



Automatic Cutter

智能电脑裁床

TC8 FR(Universal) 6/8



Universal 8

Universal



Plastic re-cover to optimize vacuum and save extra energy. Motorized system. Blade cooling or lubrication system according to fabrics.

Tool ISO Editor image position, notches, drill holes, lines.

二次覆膜以充分利用真空并节约能耗。马达移动。根据不同面料，选择刀片润滑或冷却系统。ISO编辑工具可视化裁片位置、剪口、针眼及裁线。

Average power consumption 5.9kW
平均能耗 5.9kW



工作区Working Area (cm)	180 x 170	200 x 170	220 x 170
工作区外尺寸Overall dimensions L x W x H (cm)	470 x 290 x 220	470 x 310 x 220	470 x 330 x 220
机器重量Weight (Kg)	2880	2960	3040
安装功率Installed Power (kW)		15	
平均使用功率 Average Consumption (kW)	5.9	5.9	5.9
Power supply Tension		400V ± 10%	
最大压缩后高度Max compressed lay height (cm)		6-8	